

Referral Letter for Suspected ILD

For Primary Care Practitioners to refer to Respiratory Physicians

References:

1. Green, R., Baldwin, M., Pooley, N., et al. (2024). The burden of cough in idiopathic pulmonary fibrosis and other interstitial lung diseases: A systematic evidence synthesis. *Respiratory Research*, 25(1), 325. <https://doi.org/10.1186/s12931-024-02897-w>
2. Guenther, A., Krauss, E., Tello, S., Wagner, J., Paul, B., Kuhn, S., Maurer, O., Heinemann, S., Costabel, U., Barbero, M. A. N., Müller, V., Bonniaud, P., Vancheri, C., Wells, A., Vasakova, M., Pesci, A., Sofia, M., Klepetko, W., Seeger, W., Drakopanagiotakis, F., ... Crestani, B. (2018). The European IPF registry (eurIPFreg): baseline characteristics and survival of patients with idiopathic pulmonary fibrosis. *Respiratory research*, 19(1), 141. <https://doi.org/10.1186/s12931-018-0845-5>
3. Pugashetti, J., Graham, J., Boctor, N., Mendez, C., Foster, E., Juarez, M., Harper, R., Morrissey, B., Kadoch, M., & Oldham, J. M. (2018). Weight loss as a predictor of mortality in patients with interstitial lung disease. *The European respiratory journal*, 52(3), 1801289. <https://doi.org/10.1183/13993003.01289-2018>
4. Department of Occupational Safety and Health, Ministry of Human Resources Malaysia. Guidelines on Safety and Health (Notification of Accident, Dangerous Occurrence, Occupational Poisoning and Occupational Disease) Regulations 2004 [NADOPOD].